



PTO/SB/21 (02-04)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FORM (to be used for all correspondence after initial filing)	Application Number	10/037,732	
	Filing Date	11/09/2001	
	First Named Inventor	Sam H. Hay	
	Art Unit	2625	
	Examiner Name	Choobin, Barry	
Total Number of Pages in This Submission	8	Attorney Docket Number	HAYPAT7

ENCLOSURES (Check all that apply)		
<input type="checkbox"/> Fee Transmittal Form	<input type="checkbox"/> Drawing(s)	<input type="checkbox"/> After Allowance communication to Technology Center (TC)
<input type="checkbox"/> Fee Attached	<input type="checkbox"/> Licensing-related Papers	<input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences
<input checked="" type="checkbox"/> Amendment/Reply	<input type="checkbox"/> Petition	<input type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)
<input type="checkbox"/> After Final	<input type="checkbox"/> Petition to Convert to a Provisional Application	<input type="checkbox"/> Proprietary Information
<input type="checkbox"/> Affidavits/declaration(s)	<input type="checkbox"/> Power of Attorney, Revocation	<input type="checkbox"/> Status Letter
<input type="checkbox"/> Extension of Time Request	<input type="checkbox"/> Change of Correspondence Address	<input type="checkbox"/> Other Enclosure(s) (please identify below):
<input type="checkbox"/> Express Abandonment Request	<input type="checkbox"/> Terminal Disclaimer	
<input type="checkbox"/> Information Disclosure Statement	<input type="checkbox"/> Request for Refund	
<input type="checkbox"/> Certified Copy of Priority Document(s)	<input type="checkbox"/> CD, Number of CD(s) _____	
<input type="checkbox"/> Response to Missing Parts/Incomplete Application	Remarks	
<input type="checkbox"/> Response to Missing Parts under 37 CFR 1.52 or 1.53		

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT	
Firm or Individual name	Mark Clodfelter
Signature	<i>Mark Clodfelter</i>
Date	Jan. 24, 2005

CERTIFICATE OF TRANSMISSION/MAILING	
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below.	
Typed or printed name	Mark Clodfelter
Signature	<i>Mark Clodfelter</i>
Date	Jan. 24, 2005

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

2625
JFW

Inventor: Application of: Sam H. Hay

Application number: 10/037,732

Filed: 11/09/2002

For: METHODS FOR DETERMINING BINOCULAR
BALANCE AND DISORDERS OF BINOCULARITY
OF AN INDIVIDUAL OR CLINICAL GROUPS OF INDIVIDUALS

Docket no: HAYPAT7

GAU: 2625

Examiner: Choobin, Barry

RESPONSE TO RESTRICTION REQUIREMENT AND PRELIMINARY
AMENDMENT

Responsive to the restriction requirement mailed 12/22/2004,

Applicant provisionally elects for prosecution the invention of group 1 (claims 1
- 17).

In addition, claim 18 is amended to require use of the "digital imaging
device" of claim 1, thus making it a linking claim.

By:

Mark Clodfelter, Agent of Record
Registration number: 34,564
Customer number: 20115
555 Sparkman Drive
Suite 1602D
Huntsville, Ala. 35816

Claims in the case and their status follow:

1 1 (original). A method for determining optical status of each individual eye of a
2 pair of eyes of a subject comprising the steps of:

3 A) imaging both of said pair of eyes using a digital imaging device
4 while utilizing a standard set of uniform imaging conditions and visual tasks
5 while performing said imaging,

6 B) isolating a retinal reflex from each of said pair of eyes,

7 C) applying a series of algorithms to statistically determine a plurality
8 of parameters related to each said retinal reflex.

1 2 (original). A method as set forth in claim 1 further comprising the step of
2 establishing validity of a subsequent analysis of image data by determining the
3 monocular state of fixation of each of said pair of eyes.

1 3 (original). A method as set forth in claim 1 further comprising the step of
2 reducing the image data to a common clinical state, whereby valid
3 mathematical manipulation of image data either as individual or composite
4 group measurements is permitted.

1 4 (original). A method as set forth in claim 3 further comprising the step of
2 collecting all data from a plurality of subjects in the same manner and utilizing
3 a reproducible visual task, and achieving and confirming that each said
4 subject's gaze is in "Optimal Visual Perception".

1 5 (original). A method as set forth in claim 1 further comprising the step of
2 comparing said plurality of parameters from each said retinal reflex taken from
3 said individual to a like set of parameters taken from a normal eye.

1 6 (original). A method as set forth in claim 1 further comprising the step of
2 comparing said plurality of parameters from each said retinal reflex taken from
3 said individual to a like set of parameters taken from a normal eye.

1 7 (original). A method as set forth in claim 1 further comprising the step of
2 comparing said plurality of parameters from one of said retinal reflexes taken
3 from said individual with parameters from the other of said retinal reflexes
4 taken from said individual.

1 8 (original). A method as set forth in claim 2 further comprising the step of
2 presenting said plurality of parameters from one of said retinal reflexes taken
3 from said individual and said parameters taken from a normal retinal reflex in
4 a circular graphical format.

1 9 (original). A method as set forth in claim 6 further comprising the step of
2 superimposing said plurality of parameters from one of said retinal reflexes
3 taken from said individual over said parameters taken from a normal retinal
4 reflex.

10 (original). A method as set forth in claim 6 further comprising the step of calculating a range of said parameters taken from a normal retinal reflex and superimposing said plurality of parameters from one of said retinal reflexes taken from said individual over said range of said parameters taken from said normal retinal reflex.

11 (original). A method as set forth in claim 5 further comprising the steps presenting said plurality of parameters from one of said retinal reflexes taken from said individual and said parameters from the other of said retinal reflexes taken from said individual in a circular graphical format, with said parameters from one of said retinal reflexes arranged on one side of said circular graphical format and said parameters from the other of said retinal reflexes arranged symmetrically on the other side of said circular graphical format.

12 (original). A method as set forth in claim 1 further comprising the step of selecting said algorithms based on their predictivity of eye disorders.

13 (original). A method as set forth in claim 1 further comprising the step of selecting said algorithms based on their predictivity of ocular balance between said retinal reflexes.

14 (original). A method for determining disorders of eyes of a subject

2 comprising the steps of:

3 A) obtaining a retinal reflex in digital format from each of said eyes,

4 B) performing a series of statistical calculations on each said retinal
5 reflex, said statistical calculations performed on selected areas of each said
6 retinal reflex,

7 C) comparing said statistical calculations taken from one said retinal
8 reflex with the same statistical calculations taken from a normal eye reflex or a
9 known data distribution from some disease or ocular state,

10 D) plotting results from said step of comparing so that certain eye
11 disorders that may be present in said subject are evident in said plot.

1 15 (original). A method as set forth in claim 14 further comprising the step of
2 plotting said results in a circular plot, with said statistical calculations taken
3 from one said retinal reflex arranged along one side of said circular plot and
4 said statistical calculations taken from the other said retinal reflex positioned
5 on the other side of said circular plot, with identical statistical calculations
6 from each said retinal reflex being in opposed relation.

1 16 (original). A method for determining disorders of eyes of a subject
2 comprising the steps of:

3 A) obtaining a retinal reflex in digital format from each of said eyes,

4 B) performing a series of statistical calculations on each said retinal
5 reflex, said statistical calculations performed on selected areas of each said

6 retinal reflex,

7 C) comparing said statistical calculations taken from one said retinal
8 reflex with the same statistical calculations taken from a normal eye reflex or a
9 known data distribution from some disease or ocular state,

10 D) plotting results from said step of comparing so that certain eye
11 disorders that may be present in said subject are evident in said plot.

1 17 (original). A method as set forth in claim 16 further comprising the step of
2 plotting said statistical calculations taken from a normal eye reflex in a circular
3 plot, with said statistical calculations taken from one of said retinal reflexes of
4 said subject being superimposed over said plot of said statistical calculations
5 taken from a normal eye.

1 18 (currently amended). A method for statistically determining a plurality of
2 values of generic disease groups, and comprising the steps of:

3 A) obtaining photometric imaging readings using the digital imaging
4 device of claim 1 of wavefront ocular images using uniform imaging
5 circumstances for each of said wavefront ocular images, said wavefront ocular
6 images taken from persons with clinically known disease processes,

7 B) Grouping persons with similar disease processes or associated
8 ocular states together in clinical subgroups,

9 C) Summing values of those identical algorithms found in said
10 clinical sub-groups to obtain statistical measurements and then performing a

11 statistical analysis on said statistical measurements to obtain statistical data,
12 D) Utilizing said statistical data to define features in graphic format
13 that characterizes values of the sub-group with a particular disease.